

Total number of printed pages-23

3 (Sem-5/CBCS) CHE HE 1/2/3

2022

CHEMISTRY

(Honours Elective)

Answer the Questions from any one Option.

OPTION-A

(Applications of Computers in Chemistry)

Paper : CHE-HE-5016

OPTION-B

(Analytical Method in Chemistry)

Paper : CHE-HE-5026

OPTION-C

(Molecular Modelling and Drug Design)

Paper : CHE-HE-5036

Full Marks : 60

Time : Three hours

**The figures in the margin indicate
full marks for the questions.**

Contd.

OPTION-A

(Applications of Computers in Chemistry)

Paper : CHE-HE-5016

1. Answer **any seven** questions : $1 \times 7 = 7$

(a) CD-ROM is a

(i) Semiconductor memory

(ii) Memory register

(iii) Magnetic memory

(iv) None of the above

(Choose the correct answer)

(b) Standard ANSIC recognizes — number of keywords. *(Fill in the blank)*

(c) Define the terms OMR and OCR related to computer system.

(d) Convert the binary number $(11001)_2$ into decimal system.

(e) What is an interface ?

- (f) What do you mean by an interpolation method?
- (g) Name *two* chemistry tools/software that are useful in drawing chemical structures, reaction schemes etc.
- (h) Define linear programming.
- (i) Explain the use of DEF statement.
- (j) Explain debugging.
- (k) Differentiate between compiler and interpreter.
- (l) Which one of the following is suitable for drawing infrared spectrum (IR) of a molecule?

ISIS Draw, Origin, BASIC

2. Answer **any four** questions : $2 \times 4 = 8$

- (a) Write *any four* features of MS Excel.
- (b) Write a program in BASIC to plot five concentric circles using For Next loop.
- (c) Correct the errors in the following statements :
 - (i) LS=Len (AS)
 - (ii) A1=8
- (d) Differentiate between bug and virus.
- (e) What are the applications of the following library functions?
 - (i) RND
 - (ii) LOG

- (f) Define cheminformatics with an application.
- (g) Mention *any two* search engines and explain.
- (h) Define *any four* programming languages.

3. Answer **any three** questions : $5 \times 3 = 15$

- (a) Explain the CPU and its working in computer.
- (b) What is the use of GOTO statement in BASIC programming?
- (c) Write a BASIC program to compute pressure from van der Waals' equation.

Or

Write an algorithm to find the largest of three numbers.

- (d) Explain the method of averages in data analysis.

Or

A stream of nitrogen gas contains 0.2 wt% water vapour. Determine the mole fraction of water.

- (e) Write short notes on the following:
(any two)

- (i) Variables and dimensions
- (ii) Simpson's numerical integration method
- (iii) ANOVA

- (f) Draw a BASIC program for determination of electronegativity or bond length.
- (g) How many types of INPUT devices are generally used? Explain them.
- (h) Write a program in BASIC to find the product of first ten natural numbers.

4. Answer **any three** questions : $10 \times 3 = 30$

- (a) (i) Discuss the various symbols used for drawing flowchart. 4
- (ii) Write on program testing and execution. 4
- (iii) What is batch processing system ? 2

Or

Systems of simultaneous equations are given as

$$A_1X + B_1Y = C_1$$

$$A_2X + B_2Y = C_2$$

Write a BASIC program to compute the values of X and Y.

- (b) Write a BASIC program to calculate pH of acidic, basic and neutral solutions.

Or

For the vapour-liquid equilibrium of a binary mixture of benzene and toluene, the following results are reported :

x : 0.167 0.333 0.500 0.667 0.833

y : 0.320 0.550 0.710 0.830 0.930

where, x and y represent mole fraction of benzene in liquid and vapour respectively. Indicate how these data might be plotted to give a straight line if the relative volatility were constant. Fit the best straight line to point on such a graph by

- (i) visual inspection of the best straight line through the points.
- (ii) the method of averages.
- (iii) the method of least square.

Determine the average relative velocity of the mixture by using the straight line obtained.

- (c) What is operator ? Describe the different types of operators with examples in C-language.
- (d) Explain Newton-Raphson method for roots of a real valued function.

Or

Explain in detail the uses of spreadsheet in chemistry by taking the following examples :


- (i) Determination of empirical and molecular formula
- (ii) Determination of vapour pressure

- (e) Draw a flowchart for calculation of lattice energy of NaCl on the basis of the Born-Haber cycle given below :

Lattice energy on the basis of Born-Haber cycle can be calculated for a reaction as follows :

e.g., for the reaction

$\text{Na} (g) + \text{Cl}_2 (g) \xrightarrow{-Q} \text{NaCl}$ this cycle is as follows :



So, $-Q = S + IP + \frac{1}{2}D - EA - U$, where S is the

heat of sublimation, IP is the ionization potential of Na , D is the dissociation energy, EA is the electron affinity, U is the lattice energy and Q is the heat of formation. On rearranging it

$$-U = -Q - S - IP - \frac{1}{2}D + EA \quad \text{or,} \quad U = Q + S + IP + \frac{1}{2}D - EA.$$

- (f) Calculate the value of the integral by using Simpson's $1/3$ and $3/8$ rules and also calculate the approximate value of z in each case.

Or

Draw a flowchart using spreadsheet for determining the mass fraction and mole fraction of each component in the following mixture of hydrocarbons :

125 g of methane, 125 g of ethane and 250 g of propane

- (g) Develop a flowchart and a BASIC program to fit a straight line for the following data relating to enthalpy of methane at 1 atm. pressure with temperature :

Data:

Enthalpy : (kJmol^{-1})	630	650	824	851	875	1050	1110	1200
------------------------------------	-----	-----	-----	-----	-----	------	------	------

Temperature : ($^{\circ}\text{C}$)	-200	-100	0	100	200	300	400	500
--------------------------------------	------	------	---	-----	-----	-----	-----	-----

- (h) (i) Discuss the advantages of rational database management. 4
- (ii) Discuss on the design and development of simple data bases on chemical and physical properties of substances. 6

OPTION-B

(Analytical Method in Chemistry)

Paper : CHE-HE-5026

1. Answer **any seven** of the following questions :
1×7=7

- (a) How is standard deviation related to accuracy?
- (b) Why is IR spectrum considered 'finger print' of a molecule?
- (c) Why is source modulation used in atomic absorption spectroscopy?
- (d) What is potentiometry?
- (e) What is meant by Nernstian behaviour in an indicator electrode?
- (f) What is meant by thermogravimetric analysis?
- (g) What is the function of Nernst glower?
- (h) A sample exhibited an absorbance 1.0 in UV-visible spectroscopy. What will be its percentage of transmittance?
- (i) Name the two light sources used in UV-visible spectrophotometer.
- (j) When is batch extraction used for extraction process?
- (k) Define the term 'specific rotation'.
- (l) Name the binder that is present in silica gel G.

2. Answer **any four** of the following questions :
 $2 \times 4 = 8$

- (a) The standard deviation from one set of 11 determinations was 0.210, and the standard deviation from 13 determinations was 0.641. Is there any significant difference between the precision of these *two* sets of results at the 10% level? Given the value of F for 10 and 12 degrees of freedom at 10% probability level is 2.28.
- (b) Name different gases that can be used as fuel and oxidant in Flame-AAS.
- (c) The force constant for $H^{35}Cl$ and $D^{35}Cl$ are the same and both can be considered as harmonic oscillators. $H^{35}Cl$ has a fundamental vibrational transition at 2886 cm^{-1} . Calculate the ratio of the zero-point energy of $H^{35}Cl$ to that of $D^{35}Cl$.
- (d) Draw a probable TG curve for $CuSO_4 \cdot 5H_2O$.
- (e) Describe the source of pH dependence in a glass membrane electrode.
- (f) What are the different types of paper chromatography?
- (g) What do you mean by synergistic extraction?
- (h) What is the role played by a masking agent in the extraction of metal ions?

3. Answer **any three** of the following questions :
5×3=15

- (a) What is the difference between accuracy and precision ? Discuss the methods for determining the accuracy. 1+4=5
- (b) Describe briefly *two* different sample preparation methods for IR measurement.
- (c) Discuss the working principle of atomic absorption spectrometer.
- (d) Describe the basic differences between atomic emission and atomic absorption spectroscopy. Among atomic emission and atomic absorption, which one is more sensitive to flame instability and why ? 2+3=5
- (e) Explain the basic working principle and the applications of the TGA technique. What are the factors that affect the TGA curve? 3+2= 5
- (f) What is conductometry ? How will you determine the pKa value of an acid with the help of conductometric titration? 1+4=5

(g) Discuss the factors on which conductance of a solution depends.

(h) What is chromatogram? Write shortly about *any two* chromatogram development methods? $1+4=5$

4. Answer **any three** of the following questions : $10 \times 3 = 30$

(a) (i) Mention *two* advantages of spectrophotometric analysis. 2

(ii) UV-visible spectroscopy can be used to distinguish keto-enol tautomers. Explain with the help of a suitable example. 3

(iii) Explain with an example how Job's method of continuous variation can be used to determine the composition of a metal complex. 5

(b) Describe the working principle of single beam and double beam UV-visible spectrophotometers. Mention *two* advantages of double beam spectrophotometer over the single beam. $8+2=10$

(c) (i) Match the following : 1

- | | |
|----------------------|------------------------|
| (A) Near IR region | (A) Rotation |
| (B) Middle IR region | (B) Overtone |
| (C) Far-IR region | (C) Vibration-rotation |

(ii) How many stretching modes of vibration are there for H_2O and HCl molecule ? 2

(iii) Diagrammatically show the bending modes of vibration for H_2O and CO_2 molecule. 2

(iv) In an IR spectrophotometer, diffraction gratings have displaced prisms as the main source of monochromation. Why ? 1

(v) What type of detectors is preferred in IR spectrophotometer for measurements that must be made rapidly ? 1

(vi) What are the advantages of FT-IR over continuous wave spectrophotometer ? 2

(vii) How will you distinguish between propanone and propan-2-ol using IR spectroscopy ? 1

(d) What are the factors that influence the vibrational frequency? Discuss with the help of example. Distinguish between the two isomers having molecular formula, C_3H_6O namely CH_3COCH_3 and CH_3CH_2CHO in terms of their IR frequencies. 6+4=10

(e) What is potentiometric titration? How one reveals the end point of a potentiometric titration? Describe the features of a potentiometric titration curve. Discuss the use of potentiometry in food industry and pharmaceutical industry. 1+1+3+5=10

(f) Discuss the basic features of conductometric titration curves obtained from the reactions between —

(i) HCl and $NaOH$;

(ii) $H_2C_2O_4$ and Na_2CO_3 ;

(iii) Na_2CO_3 and HCl ;

(iv) CH_3COOH and $NaOH$.

10

(g) (i) What is meant by solvent extraction? State the law on which it is based on. Define the term 'distribution ratio'. How is it different from distribution coefficient? 1+1+1+2=5

(ii) Describe briefly the continuous extraction technique used in solvent extraction. 5

(h) (i) Describe the qualitative and quantitative aspects of gas chromatography. 5

(ii) How can NMR spectroscopy be used to determine the enantiomeric composition? 5

OPTION-C

(Molecular Modelling and Drug Design)

Paper : CHE-HE-5036

1. Answer **any seven** of the following questions :
I×7=7

- (a) Define the term 'molecular modelling'.
- (b) Which of the following is not an electronic parameter ?
 - (i) Dipole moment
 - (ii) Hammett substituent constant
 - (iii) Molecular connectivity
 - (iv) HOMO/LUMO
- (c) Which of the following is not used by molecular modelling software packages ?
 - (i) Relative molar mass
 - (ii) Bond angle
 - (iii) Bond length
 - (iv) Torsion angle

- (d) Which is the computationally most expensive part of a molecular dynamics simulation ?
- (e) Koopmans theorem helps in correct prediction of — by relating it to the energy of HOMO. *(Fill in the blank)*
- (f) What is meant by 'molecular docking' ?
- (g) What is chemoinformatics ?
- (h) Which of the following software programmes is used for automated de novo drug design ?
- (i) DOCK
 - (ii) LUDI
 - (iii) CHEM3D
 - (iv) CoMFA
- (i) CoMFA method is used for
- (i) 4D - QSAR
 - (ii) 3D - QSAR
 - (iii) 6D - QSAR
 - (iv) 5D - QSAR

(j) The energies of hydrogen bonds typically lie in the range of (kJ mol^{-1})

(i) 4 – 40

(ii) 40 – 400

(iii) 0.4 – 4.0

(iv) 400 – 4000

(k) Which of the following statements is true?


(i) Energy minimization is carried out by using quantum mechanics.

(ii) Energy minimization is used to find a stable conformation of a molecule.

(iii) Energy minimization is carried out by varying only bond lengths and bond angles.

(iv) Energy minimization stops when a structure is found with a much greater stability than the previous one in the process.

- (l) The following graph shows the stability of a molecule as its structure is varied during conformational analysis :



Which term is used to describe the point marked 'Z' ?

- (i) Global energy minimum
- (ii) Transition state
- (iii) Conformation energy minimum
- (iv) Lowest energy minimum

2. Answer **any four** questions : 2×4=8

- (a) What are the *two* most common types of errors in molecular simulation ? Give an example of each.

- (b) What is the difference between molecular dynamics (MD) and Monte Carlo (MC) approaches?
- (c) Draw the staggered conformation of ethane and show the torsion angle.
- (d) What is molecular graphics? What are the *two* most common ways of representing a molecule by using computer graphics?
- (e) Mention *any two* reputed sources of molecular modelling literatures.
- (f) What is 6 - 31G basis set?
- (g) Mention *any two* common types of non-bonded interactions that can exist amongst molecules.
- (h) What do the symbols P and π represent in a Q-SAR equation?

3. Answer **any three** questions : $5 \times 3 = 15$

- (a) How is temperature controlled in MD and MC simulations? Briefly explain.
- (b) Briefly describe the advantages and disadvantages of doing computer simulations.
- (c) Describe two techniques that are used to reduce computational time in molecular dynamics simulations.
- (d) Explain how an energy minimization problem can be stated.
- (e) Discuss the importance of hydrogen bonding in molecular mechanics.
- (f) Describe how a protein structure can be predicted by using 'threading'.
- (g) What is a potential energy surface (PES)? Draw a diagram of a PES and explain the significance of various points in the curve.

- (h) What is Lennard-Jones 12-6 potential? Write down the equation and explain the meanings of the terms involved. How can we calculate the distance corresponding to the potential energy minimum in the curve? $1+3+1=5$

4. Answer **any three** questions : $10 \times 3 = 30$

- (a) Describe briefly about the various steps involved while performing a computer simulation.
- (b) Discuss the force field models for the simulation of liquid water.
- (c) Give an account of the first-order energy minimization method.
- (d) Give an account of the molecular dynamics simulation at constant temperature and pressure.
- (e) Describe the steps involved in Monte-Carlo simulation.
- (f) Explain the concept of Q-SAR. Write about the different electronic and steric parameters to be considered in Q-SAR analysis. $4+6=10$

- (g) Give an account of structure based de novo ligand design.
 - (h) Discuss about the various sources of errors in computer simulation methods.
-

Total number of printed pages-23

3 (Sem-5/CBCS) CHE HE 4/HE 5/HE 6

2022

CHEMISTRY

(Honours Elective)

Answer the Questions from any one Option.

OPTION-A

(Novel Inorganic Solids)

Paper : CHE-HE-5046

OPTION-B

(Polymer Chemistry)

Paper : CHE-HE-5056

OPTION-C

(Instrumental Methods of Chemical Analysis)

Paper : CHE-HE-5066

Full Marks : 60

Time : Three hours

**The figures in the margin indicate
full marks for the questions.**

Contd.

OPTION-A

(*Novel Inorganic Solids*)

Paper : CHE-HE-5046

1. Answer the following questions : (*any seven*)
1×7=7

(a) Which one of the following is not an example for top-down approach ?

- (i) Ball milling technique
- (ii) Sol-gel process
- (iii) Lithography
- (iv) Gas phase agglomeration

(b) Which of the following is a non-oxide ceramic ?

- (i) Alumina
- (ii) Zirconia
- (iii) Carbide
- (iv) Fiber-reinforced

(c) Give an example for nanowires of metals.

(d) What are composite materials ?

(e) 'Alumina' comes under the category of traditional ceramics.

(State True or False)

(f) What is meant by plain carbon steel?

(g) What is the percentage of Cu and Sn in bronze alloy?

(h) What is the major load carrier in dispersion-strengthened composites?

(i) Which metal nanoparticle is extensively used as a catalyst?

(j) Which alloy of aluminum is used in the construction of aircraft?

(k) Titanium (IV) oxide (TiO_2) is a _____ pigment. (Fill in the blank)

(l) _____ is the field in which the nanoparticles are used with silica coated iron oxide.

(Fill in the blank with appropriate option)

(i) Magnetic application

(ii) Electronic

(iii) Medical diagnosis

(iv) Structural analysis

2. Answer the following : **(any four)**

$2 \times 4 = 8$

- (a) What makes a molecule magnetic?
- (b) What are natural and artificial nanoparticles?
- (c) What is a one-dimensional metal? Give examples.
- (d) What are the different techniques used for the synthesis of carbon nanotubes?
- (e) What do you understand by conventional heat and beat methods?
- (f) What are metal-containing liquid crystals? Give examples.
- (g) What are the raw materials of ceramic tile? Give their percentage.
- (h) What is the molecular structure of carbon nanotubes?

3. Answer **any three** of the following :

$5 \times 3 = 15$

- (a) What are SSEs? Give suitable examples. What are their advantages over other electrolytes? $2+1+2=5$

- (b) What do you mean by self-assembled nanostructures? How are these nano-architectures controlled? 2+3=5
- (c) What is the composition of a metal matrix composite (MMC)? Discuss the manufacturing methods of these materials. 2+3=5
- (d) What are refractories? How are they classified on the basis of their melting points? What are the primary reasons behind using refractories? 1+2+2=5
- (e) What is a ceramic coating? How do they work? 2+3=5
- (f) Discuss the basic working principle of Li ion battery.
- (g) Distinguish between thermoplastics and thermosets.
- (h) Discuss the advantages and disadvantages of polymer matrix composites. $2\frac{1}{2}+2\frac{1}{2}=5$

4. Answer **any three** of the following questions : $10 \times 3 = 30$

(a) (i) Discuss the co-precipitation and sol-gel methods used in the syntheses of inorganic solids. $2\frac{1}{2} + 2\frac{1}{2} = 5$

(ii) Discuss the intercalation method giving suitable example. 5

(b) Write notes on the following : $2\frac{1}{2} \times 4 = 10$

(i) Fullerenes

(ii) Black pigments

(iii) Bionano composites

(iv) Intercalation method

(c) (i) What do you mean by reinforcement ratio? Discuss the effect of reinforcement ratio on the structure of composite material.

$2 + 3 = 5$

(ii) Discuss the applications of fibre-reinforced composites. 5

(d) What do you mean by DNA nanotechnology? Discuss the biological applications of DNA nanomaterials.

$4 + 6 = 10$

- (e) What are alloys? Discuss the various types of copper alloys and give their applications. $2+8=10$
- (f) Discuss the composition, mechanical characteristics and applications of various types of cast irons.
- (g) Discuss the methods of preparation of Au and Ag nanoparticles. $5+5=10$
- (h) Discuss the application of nano-materials in medicine.

OPTION-B
(Polymer Chemistry)

Paper : CHE-HE-5056

1.30 Answer **any seven** of the following questions : 1×7=7

- (i) Bakelite is condensation polymer of
- (a) phenol and urea
 - (b) phenol and formaldehyde
 - (c) urea and formaldehyde
 - (d) urea and melamine
- (ii) In cationic polymerization, termination occurs by
- (a) rearrangement
 - (b) chain transfer
 - (c) coupling
 - (d) both rearrangement and chain transfer
- (iii) Surfactants used in emulsion polymerization are
- (a) anionic
 - (b) cationic
 - (c) non-ionic
 - (d) All of the above

(iv) Which of the following polymers is more amorphous ?

- (a) Isotactic
- (b) Atactic
- (c) Syndiotactic
- (d) All of the above

(v) For solubility of a polymer in a solvent ΔG must be

- (a) positive
- (b) negative
- (c) zero
- (d) infinite

(vi) Which one of the following pairs is not correctly matched ?

- (a) Terylene-Condensation polymer of terephthalic acid and ethylene glycol
- (b) Teflon-Thermally stable cross-linked polymer of phenol and formaldehyde
- (c) Perspex-a homopolymer of methyl methacrylate
- (d) Synthetic rubber-a copolymer of butadiene and styrene

(vii) Which is/are true for elastomers ?

- (a) These are synthetic polymers possessing elasticity
- (b) These possess very weak intermolecular forces of attractions between polymer chains
- (c) Vulcanised rubber is an example of elastomer
- (d) All of the above

(viii) PDI for natural polymer is generally close to

- (a) zero
- (b) 100
- (c) 1
- (d) 50

(ix) The catalyst used in the manufacture of polythene by Ziegler method is

- (a) Titanium tetrachloride and triphenyl aluminium
- (b) Titanium tetrachloride and triethyl aluminium
- (c) Titanium oxide
- (d) Titanium isopropoxide

(x) Bunna S is a natural rubber.
(True/ False)

(xi) Light scattering method is used for the determination of osmotic pressure of polymers.
(True/ False)

(xii) The Flory-Huggins theory explains the miscibility of a polymer with solvent.
(True/ False)

2. Answer **any four** of the following questions :

2×4=8

(i) What are initiators in chain growth polymerization? Give *one* example.

(ii) What do you mean by high density polyethylene (HDPE)? Write its *one* application.

(iii) Write the brand name of polytetraflouroethylene (PTFE).
Explain its behaviour on heating.

(iv) Why are silicones called inorganic polymer?

(v) What are polycarbonates? Write *one* method of its preparation.






(vi) What is meant by living and dead polymer?

(vii) Define the term 'super fibre' with an example.

(viii) How do you explain functionality of a polymer?

3. Answer **any three** of the following questions : $5 \times 3 = 15$

(i) Identify A-E in the following polymeric reactions :



(ii) Give the method of preparation of the following polymers : **(any two)**

2.5×2=5

(a) Nylon 6,6

(b) Buna-S

(c) Polystyrene

(iii) Mention *two* conditions for a polymer to be conducting. Explain the conducting behaviour of polyaniline (PANI).

2+3=5

(iv) Explain with examples the practical significances of copolymerization. Write the differences between graft and block copolymers.

3+2=5

(v) Show with suitable examples the classification of polymer on the basis of tacticity. Describe briefly how crystallinity of a polymer is related to its tacticity.

3+2=5

(vi) Explain with suitable example the radical mechanism of chain growth polymerization.

(vii) Discuss the kinetics of condensation polymerization.

(viii) What are acrylic polymers? Give an account of different acrylic polymers, their formation, properties and uses.

2+3=5

4. Answer **any three** of the following questions : $10 \times 3 = 30$

(i) What are coordination polymers? Explain the detailed mechanism of Ziegler-Natta polymerization of propylene. How can you explain the source of stereoregularity in the formation of isotactic polypropylene using Ziegler-Natta catalyst?

2+6+2=10

(ii) Discuss the basic principle of bulk polymerization. Briefly outline the advantages and disadvantages of bulk polymerization. What are the differences between suspension and emulsion polymerization?

3+3+4=10

- (iii) Differentiate between addition and condensation polymers. What are the different types of mechanism by which chain-growth polymerization proceeds? For a monomer of general structure $\text{CH}_2 = \text{CHX}$, complete the following table. Put '+' if the monomer can be polymerized by the method mentioned at the top of the column, and '-' if polymerization by the method is not feasible. Briefly justify your answer.

3+2+5=10

X	Free radical	Anionic	Cationic
-CN			
-Ph			
-OCH ₃			

- (iv) What are crystalline polymers? What are the different factors which affect degree of crystallinity? Differentiate between crystalline and amorphous polymers. Define functionality of a monomer.

2+4+2+2=10

- (v) What are the factors that affect the solubility of polymers? Derive an expression for enthalpy change and free energy change of mixing of polymers. What are the assumptions of Flory-Huggins theory?

3+4+3=10

(vi) Define number average molecular weight and weight average molecular weight. Explain osmotic pressure methods to determine molecular weight of the polymers. A box of mangoes contains sets A, B, and C with their numbers and weight as shown below:

Set A : 30 mangoes with weight of each mango 200gm

Set B : 20 mangoes with weight of each mango 300gm

Set C : 40 mangoes with weight of each mango 100gm

Calculate number average molecular weight (M_n) for the mangoes.

$$2+5+3=10$$

(vii) Give a detailed account of thermal properties of polymers. Give a detailed account on preparations, properties and uses of various phenol formaldehyde resins.

$$4+6=10$$

(viii) Explain kinetic chain length in free radical polymerization and derive equation of rate of polymer formation. Discuss the effect of temperature on chain polymerization.

$$8+2=10$$

OPTION-C

(Instrumental Methods of Chemical Analysis)

Paper : CHE-HE-5066

1. Answer **any seven** questions : $1 \times 7 = 7$

(a) The typical range of visible radiation is

(i) 200–400 nm

(ii) 400–700 nm

(iii) 700–1100 nm

(iv) 1100–1600 nm

(b) Define the term precision of a measurement.

(c) Colorimetric determination of Cu^{2+} , a supplied sample, is an instrumental method. (State whether True or False)

(d) In which of the following instruments ZnSe (Zinc selenide) is used as detector?

(i) UV-visible spectrometer

(ii) NMR spectrometer

(iii) X-ray diffractometer

(iv) IR spectrometer

(e) What is diffraction grating?

- (f) What is fluorescent tag?
- (g) Which of the following quantities are displayed in a typical mass spectrum?
- (i) Absorbance *vs* wavelength
 - (ii) Transmittance *vs* wavenumber
 - (iii) Counts *vs* m/z
 - (iv) Counts *vs* ppm
- (h) Which of the following materials is used in column chromatography?
- (i) Silica gel
 - (ii) Activated charcoal
 - (iii) KBr
 - (iv) $CDCl_3$
- (i) Argon can be used as a carrier gas in gas chromatography.
(State whether True **or** False)
- (j) Which of the following methods is used in combination with a separation method to develop a hyphenated technique?
- (i) NMR spectroscopy
 - (ii) Mass spectroscopy
 - (iii) Polarography
 - (iv) Potentiometry

(k) Which of the following solvents is used in NMR spectroscopy?

(i) CD_3OD

(ii) CH_3OH

(iii) H_2O

(iv) CH_3CN

(l) How many 1H -NMR signal is observed for cyclohexane?

2. Answer **any four** from the following :

2×4=8

(a) Why are liquid N_2 and He used in NMR spectrometers?

(b) Convert $1eV$ to $kJmol^{-1}$.

(c) What are the advantages of a double-beam spectrometer over single-beam spectrometer?

(d) Why is three-electrode setup used in cyclic voltametry?

(e) What information can be obtained from mass spectrometry?

(f) What is the advantage of coupling gas chromatography with mass spectrometry?

(g) What are the disadvantages of neutron activation methods?

3. Answer the following : **(any three)**

5×3=15

(a) Describe the sample preparation techniques in FT-IR spectroscopy.

(b) Discuss the principle of XPES.

(c) What are different decay processes of radioactive isotopes? Discuss.

(d) Write briefly about the laminar flow burner. What are the advantages and disadvantages of this type of burner?

(e) Write a note on DNA gel electrophoresis.

(f) Give a schematic diagram of a single-beam UV visible spectrometer and briefly explain its various components.

(g) What are different types of interference observed in atomic absorption spectroscopy?

(h) Describe the advantages of using Fourier transform than dispersive measurement in the infrared.

4. Answer **any three** from the following :

10×3=30

(a) (i) Give a brief account for neutron activation analysis. What are the advantages and utilities of the techniques? 2+3=5

(ii) Describe the different types of interactions of γ -radiation with matter. 5

(b) (i) How does electromagnetic radiation interact with matter? Explain by showing different energy terms associated with a molecule. 5

(ii) Write *five* causes for deviation of Beer-Lambert law. 5

(c) (i) What is the most common source used in UV-visible spectrometer? Which parameter affect in the emitting capacity of a source? 1+1=2

(ii) What are the types of filters used in optical instruments? Write briefly. 2

(iii) What is the purpose of using monochromator in spectrometer? What are dispersing units in monochromator? 2

(iv) Describe the photovoltaic cell with schematic diagram. 4

(d) (i) What are determinate and indeterminate errors? Name *three* types of determinate errors. 2+3=5

(ii) What is normal error curve? Describe the salient features of the normal error curve. 2+3=5

(e) (i) What are the factors that favours separation of a constituent from a mixture by solvent extraction process? Briefly discuss each. 6

(ii) From a solution containing nickel and iron in microquantities, how can you separate nickel by solvent extraction? Then how will you estimate nickel spectrophotometrically? 4

- (f) (i) How is chromatography used for qualitative and quantitative analyses? 4
- (ii) What are retention time and retention volume in gas chromatography? $1\frac{1}{2} \times 2 = 3$
- (iii) Draw the schematic diagram showing the important component of GLC experiment. 3
- (g) Draw a block diagram showing the major component of high performance liquid chromatography (HPLC) instrument and explain briefly the functions of each component.
- (h) (i) Define chemical shift. What are the factors affecting the chemical shift? $1 + 3 = 4$
- (ii) How is separation of ions done in case of time of flight (TOF) mass analyser? Discuss the theory involved in it. 4
- (iii) Describe briefly electrospray ionization [ESI] method. 2
-