Total number of printed pages-7

3 (Sem-5/CBCS) CHE HC 1

2021 (Held in 2022)

CHEMISTRY

(Honours)

Paper: CHE-HC-5016

(Organic Chemistry-IV)

Full Marks: 60

Time: Three hours

The figures in the margin indicate full marks for the questions.

- 1. Answer the following as directed: 1×7=7
 - (i) Which carbon atom of the purine ring combines with the sugar molecule during nucleotide formation?
 - (ii) Which amino acid is formed on transamination of pyruvic acid?

- (iii) Name the enzyme which catalyzes in the conversion of glucose into glucose-6-phosphate.
- (iv) Name one essential fatty acid.
- (v) The protein part of a holoenzyme is called _____. (Fill in the blank)
- (vi) Write an example of amino acid having thiol group.
- (vii) β -pleated sheets correspond to which structure of protein?
- 2. Answer the following questions: (any four)
 - (a) What is nucleotide? Draw the structure of dCMP.
 - (b) What do you mean by isoelectric point of an amino acid? Give example.

- (c) What are NSAIDs? Where does paracetamol get metabolised inside the body?
- (d) What is trans fat? Why is trans fat not good for health?
- (e) What do you mean by high energy compounds in metabolic process? Give example.
- 3. Answer any three questions from the following: 5×3=15
 - (a) How can a purine derivative be synthesized by Traube's method? Write all the reactions involved. 1+4=5
 - (b) What is electrophoresis? How can you separate a mixture of Gly, Asp and Arg having isoelectric points 5.97, 2.98 and 10.76 respectively, by using a buffer of pH=6.0? 2+3=5

- (c) What do you mean by specificity of enzyme? Elaborate with two examples.

 2+3=5
- (d) How the sugar breaking process starts in glycolysis and finishes in Krebs cycle? Also give the account of ATP in the process.
- (e) Write the mode of action of chloramphenicol. Against which malarial parasite chloroquine is active? 4+1=5
- 4. Answer either 'A' or 'B'; 'C' or 'D'; 'E' or 'F': 10×3=30

(A) 2+4+4=10

- (i) What are the different steps of determination of primary structure of proteins?
- (ii) Write eleborately how the number of polypeptide chain can be identified.

(iii) Explain the method of determination of amino acid sequence by using Sanger's reagent.

Or

(B) 3+3+4=10

- (i) Write the reactions involved when an alpha-amino acid reacts with ninhydrin.
- (ii) How can a polypeptide be synthesized by activating -COOH group?
- (iii) Write a note on 'solid phase' or 'Merrifield Method' of synthesis of peptide.

(C) 2+5+3=10

(i) What do you mean by glycolysis?

- (ii) Write the different steps and the enzymes involved in glycolysis.
- (iii) How lipid transportation in the cell takes place and converted to free fatty acids and energy?

Or

(D) 2+6+2=10

- (i) What do you mean by enzyme inhibition?
- (ii) Write a note on different types of inhibition of enzyme.
- (iii) What is special about allosteric inhibition?
- (E) What do you mean by analgesics and antipyretics? How do they differ in their mode of action? Write the synthesis of Paracetamol and Ibuprofen.

2+4+4=10

Or

(F) What are the main active constituents of turmeric and neem? Write their structures. Write some medicinal properties of turmeric and neem.

2+4+4=10

Total number of printed pages-7

3 (Sem-5/CBCS) CHE HC 2

2021 (Held in 2022)

CHEMISTRY

(Honours)

Paper: CHE-HC-5026

(Physical Chemistry-V)

Full Marks: 60

Time: Three hours

The figures in the margin indicate full marks for the questions.

- 1. Answer the following as directed: 1×7=7
 - (a) State which of the following radiations is associated with NMR spectroscopy:
 X-ray, γ-ray, radio waves, infrared.
 - (b) Find the normal modes of vibrations in case of CH₄.

- (c) The shift of an absorption maximum towards longer wavelength is known as
 - (i) Hyperchromic shift
 - (ii) Bathochromic shift
 - (iii) Hypochromic shift
 - (iv) Hypsochromic shift (Choose the correct option)
- (d) Write the expression for the Hamiltonian operator for a particle of mass m and potential energy V.
- (e) Write the significance of ψ and ψ^2 .
- (f) State the Stark-Einstein law of Photochemical Equivalence.
- (g) What is photosensitizer? Give one example.

Answer the following questions: 2×4=8

(a) What is the lowest vibrational energy in terms of oscillation frequency for a diatomic molecule undergoing simple harmonic motion? Give the expression. What does it imply?

- (b) A monochromatic radiation is incident on a solution of 0.05 molar concentration of an absorbing substance. The intensity of the radiation is reduced to one-fourth of the initial value after passing through 10 cm length of the solution. Calculate the molar extinction coefficient of the substance.
- (c) When a sample was irradiated by the 4358 Å line of mercury, a Raman line was observed at 4447 Å. Calculate the Raman shift in cm⁻¹.
- (d) If two operators \hat{A} and \hat{B} commute then they have the same set of eigenfunctions. Justify it.

3. Anwer any three questions :

- (a) Set up and solve the Schrödinger wave equation for a particle in onedimensional box for wavelength and energy.
- (b) Write how the molecular orbitals of a homonuclear diatomic molecule can be classified as σ and π. Which of these two is doubly degenerated and why? What is the basis of classifying the MOs as g and u? 2+2+1=5

- (c) The pure rotational (microwave) spectrum of gaseous *HCl* consists of a series of equally spaced lines separated by 20.80 cm⁻¹. Calculate the
 - (i) moment of inertia and
 - (ii) internuclear distance of the molecule.

The atomic masses are:

 $^{1}H = 1.673 \times 10^{-27} kg$; $^{35}Cl = 58.06 \times 10^{-27} kg$ $^{3+2=5}$

(d) State Beer-Lambert law.

A substance when dissolved in water at 10^{-3} *M* concentration absorbs 10% of an incident radiation in a path of 1 *cm* length. What should be the concentration of the solution in order to absorb 90% of the same radiation? 2+3=5

(e) Show that the Raman lines in the pure rotational Raman spectrum of a diatomic molecule appear at wave number

 $\overline{v} = \overline{v}_0 \pm 2B(2J+3)$ where \overline{v}_0 is the wave number of the Rayleigh line. Draw the schematic diagram to show the Stokes lines and the Anti-Stokes lines. 4+1=5

4. Answer (a) or (b); (c) or (d); (e) or (f):

- (a) (i) With the help of Jablonski diagram, explain all the photophysical processes that an electronically excited molecule may undergo. Give two major differences between fluorescence and phosphorescence. 3+2=5
 - (ii) Write the mechanism of H_2-Cl_2 photochemical reaction. Prove that the rate of formation of HCl is directly proportional to the intensity of the absorbed radiation.

2+3=5

Or

(b) (i) Use the LCAO method to form the MO wave function of H_2^+ . Using this wave function, deduce the energy expressions for the bonding and the antibonding MOs.

1+4=5

(ii) Derive the expression for the energy of a particle in a two-dimensional box.

- (c) (i) Discuss briefly the effect of isotopic substitution on the energy levels and rotational spectrum of a diatomic molecule such as carbon monoxide.
 - (ii) Justify the quantization of energy and existence of zero-point energy for a particle confined in one-dimensional box. What will happen if the walls of the box are suddenly removed?

 4+1=5

Or

- (d) (i) Considering the diatomic molecule to be a rigid rotator, deduce an expression in wavenumber unit for the energy required for rotational transition to take place. Explain how the spectrum will differ if the molecule is considered to be a non-rigid rotator. 3+2=5
 - (ii) Find the normal vibrational modes of CO_2 . Out of these, how many are stretching and how many are bending vibrations? Explain which vibrations are IR active and which are not. 1+1+3=5

- (e) (i) What are the factors which determine intensities of spectral line? Discuss.
 - (ii) Discuss Franck-Condon principle to explain intensities of vibrational transitions due to absorption or emission of a photon of appropriate energy.

Or

- (f) (i) Discuss briefly the molecular orbital treatment of BeH₂ and H₂O molecules.
 - (ii) Calculate the rotational energy of CO molecule in the first excited state considering it to be rigid rotator, given that the bond length of CO is 113 pm.